ROVER 3500

ROVER 3500

JAGUAR ROVER TRIUMPH INC
[illegible] WILLOW TREE ROAD, LEONIA
[illegible] JERSEY 07605

JAGUAR ROVER TRIUMPH (CANADA) LTD
4445 FAIRVIEW STREET P.O.BOX 5033
BURLINGTON, ONTARIO, CANADA

Published by
BL Cars Limited
Publication Part No. AKM8074

In all communications relating to Service or Spares, please quote the Vehicle Identification Number (Chassis Number). This is stamped on the right-hand side of the dash top panel adjacent to the heater intake, and can be seen after opening the bonnet.

When L.H. or R.H. is used in the text, this refers to the Left-hand or Right-hand of the vehicle, viewed from the driver's seat.

The Manufacturers reserve the right to vary their specifications with or without notice, and at such times and in such manner as they think fit. Major as well as minor changes may be involved in accordance with the Manufacturer's policy of constant product improvement.

Whilst every effort is made to ensure the accuracy of particulars contained in this Handbook, neither The Manufacturer nor the Dealer, by whom this Handbook is supplied, shall in any circumstances be held liable for any inaccuracy or the consequences thereof.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, electronic, mechanical, photocopying, recording or any other means without prior written permission from the Service Division of BL Cars Limited.

© BL Cars Ltd

CONTENTS

Introduction	5	Towing a Caravan or Trailer	38
Controls, Instruments and Indicators	6	Borg-Warner Automatic Transmission	43
Body Fittings (including window operation)	17	Wheels and Tyres	47
Seats and Safety Harness	26	Cooling System	53
Heating, Ventilation and Air Conditioning	30	Cleaning	57
Running Instructions	33	Electrical System	59
General Driving Hints	36	Vehicle Identification	76

THIS HANDBOOK IS TO BE USED IN CONJUNCTION WITH THE ROVER TRIUMPH FUEL INJECTION SYSTEM MAINTENANCE HANDBOOK.



2213A

INTRODUCTION

Upon taking delivery of your new car it is in your interest to read the contents of this Handbook and so become familiar with the controls and other features which are provided for your comfort and safety.

A combined steering-column lock and ignition switch fitted to the vehicle is of particular importance and, if used properly, will greatly reduce the possibility of the car being stolen.

The lock key number appears only on a tag attached to the larger key of your key-set and does not appear on the lock or key. Enter the key number in your diary NOW and store the key tag in a safe place at home. This will enable you to order the correct key if required and prevent duplication of the key by unauthorized persons. Instructions for using the switch are given in the following pages under the heading 'Controls, Instruments and Indicators'.

Servicing

Before receiving your new car it will have undergone an inspection to ensure that all systems are working and the vehicle is complete to specification.

After completing 1000 miles the vehicle should be returned to the selling Dealer who will carry out the first important service and make whatever adjustments are required, free of charge except for cost of lubricants.

Subsequent to the free service, maintenance and servicing of the vehicle is the responsibility of the owner who is advised to make full use of the planned maintenance operated by all Jaguar Rover-Triumph franchise holders. The operations carried out by your Dealer will be in accordance with current recommendations and may be subject to revision from time to time.

The 'Passport to Service' which includes the 'Owners Service Statement' has provision for the Dealer to certify that the work has been performed in accordance with current recommendations. Regular use of the 'Passport to Service' at the specified intervals is the best safeguard against the possibility of abnormal repair bills at a later date and would constitute proof of regular servicing, thus enhancing the value of your car to a prospective buyer.

Jaguar-Rover-Triumph Dealers are provided with the latest information concerning special tools and workshop techniques, enabling them to undertake your service and repairs in the most efficient and economic manner.

WARNING: Many liquids and other substances used in motor vehicles are poisonous and should under no circumstances be consumed and should so far as possible be kept away from open wounds. These substances among others include antifreeze, brake fluid, fuel, windscreen washer additives, lubricants and various adhesives.

CONTROLS INSTRUMENTS AND INDICATORS

Item	Description	Page Ref
1	Time clock	16
2	Fascia central air vent	30
3	Warning lights	14
4	Oil pressure gauge	15
5	Fuel gauge	15
6	Water temperature indicator	15
7	Battery condition indicator	15
8	Speedometer	16
9	Face level vent (driver)	30
10	Tachometer	16
11	Switch panel	13
12	Instrument illumination rheostat	13
13	Combination switch	12
14	Master lighting switch	11
15	Ignition switch	8
16	Wash/wipe switch	11
17	Cigar lighter	20
18	Manual gear change (inset)	10
19	Window lift switches	21
20	Air conditioning/heater controls	30
21	Handbrake lever	10
22	Radio	25
23	Auto transmission selector	43
24	Face level vent, passengers	30



Left-hand steering

Front Side Marker Lamps (Fig. 6A)

Remove three screws and withdraw the lamp lens to gain access to the parking and direction indicator bulbs.



6A 6B

Rear Side Marker Lamps (Fig. 6B)

Unscrew the two nuts and washers, detach the cover and pull out the bulbholder. Renew the bulb and re-assemble.



BULB CHART

LAMP DESCRIPTION	ROVER Pt. No.	UNIPART Pt. No.	WATTAGE
Headlamp Main Beam	589109	GLB 448	55
Headlamp Dip/Main Beam	589783	GLB 472	60/55
Flasher	264591	GLB 382	21
Side (Front)	10211	GLB 207	5
Tail (rear)	570822	GLB 233	4
Reverse	264591	GLB 382	21
Rear Fog Guard	264591	GLB 382	21
Stop	264591	GLB 382	21
Number Plate Illumination	311240	GLB 254	6
Instrument	DRG 1186	GLB 286	1.2
Hazard Warning Bulb	*	GLB 280	1.5
Door Open Guard Lamp	10211	GLB 207	5

*No Rover number available